


Calbrite™

Stainless Steel Conduit Systems



Chemical



Corrosion-resistant

Easy to install

Durable

Lowest total cost
of ownership



A division of
CALPIPE INDUSTRIES™
Incorporated

Think Stainless Think Calbrite

Over 2,800 Products Manufactured in the USA



Why Calbrite?

- ✓ Three USA manufacturing and distribution centers
- ✓ Type 304 and 316
- ✓ ARRA compliant products
- ✓ Reliable service
- ✓ Shortest lead times
- ✓ Competitive prices
- ✓ Custom or unique products
- ✓ Quality assurance program complies with UL[®], cUL[®], ANSI and NEMA standards

STAINLESS STEEL CONDUIT



Rigid Conduit, Nipples & Elbows 1/2" – 6"
IMC Conduit, Nipples & Elbows 1/2" – 2"
EMT Conduit, Nipples & Elbows 1/2" – 2"

STAINLESS STEEL FLEX CONDUIT & FITTINGS



Bare Flex Conduit 1/2" – 2"
PVC Coated Flex Conduit 1/2" – 2"
Clear Coated Flex Conduit 1/2" – 2"

Flex Connector Straights & 90's 1/2" – 2"

STAINLESS STEEL CONDUIT BODIES



Body Style Form 8: C, LB, LL, LR, TB, T, X

Size Range: 1/2" – 4"

STAINLESS STEEL HUBS & COUPLINGS



Hub (Line Terminator) 1/2" – 4"
Grounding Hub 1/2" – 4"
Conduit Coupling 1/2" – 6"
3 Piece Coupling 1/2" – 4"

STAINLESS STEEL EXPLOSION PROOF FITTINGS



EYS (Seal-off)
GUAT & GUAX (Outlet Boxes)
UNY (Union)

Size Range: 3/4" - 1"


STAINLESS STEEL IN-USE COVERS



Box Style: FD, FS, & FDC Single,
FDC Double, FDT & FST Single, FDX &
FSX Single, FDCC & FSCC Single

Stainless Steel In-Use weather-proof covers
Shallow & deep styles available


CHANNEL & STRUT CLAMPS



Slotted Strut Length 7/8", 1-5/8", 3-1/4" 10'

Food grade channel now available

FITTINGS & ACCESSORIES



Clamps, Brackets, Washers, Nuts, U-Bolts, Locknuts, Cover & Gasket Kits, Straps, Screws, Threaded & Grounding Rods, Rod Couplings, Conduit Caps, Box Connectors, Bushings, Pulling Elbows, Wedge & Drop-In Anchors, Clamp Backs & Spacers, Compression & Set Screw Connectors, Cord Grips, Plugs, Fender Washers, Escutcheon Plates, Floor Flanges





Critical for the Chemical Industry

Durable. Corrosion resistant.

- ✓ Stainless steel resists corrosion in aqueous, gaseous and high-temperature environments, maintains its mechanical properties in all temperatures and its long-term value attribute allows for substantial cost savings.
- ✓ In these applications, use of acidic, toxic and flammable chemical combinations can rapidly deteriorate traditional conduit systems.
- ✓ Stainless steel is one of the only materials that can retain its structure between freezing and melting points.
- ✓ Stainless steel's corrosion-resistance, weld ability, strength, ductility, fabrication versatility and composition stability can significantly guard against product contamination.
- ✓ Calbrite's stainless conduit and fittings ensure that the surfaces of the conduit and fittings are smooth, easy to maintain and clean, to minimize microbial contamination, reduce corrosion and prevent the adherence of particulates to the surfaces of the equipment and product.



The negative effects of corrosion costs industries billions of dollars every year in unscheduled plant shutdowns, inefficient or lost production, high maintenance repair costs or imposed fines. Calbrite provides the solutions before they threaten your business.



For over 15 years,
the top chemical plants
all over the world have
turned to Calbrite for
their stainless steel
conduit systems.

105% more SKU's than
our competition

196% more UL Listed
products than our
competition

283% more Made in the
USA products than our
competition

95% of all orders are
shipped in 1-2 business days!



Calbrite™

Stainless Steel Conduit Systems

A division of
CALPIPE INDUSTRIES
Incorporated

FOR SALES INQUIRIES CALL (800) 536-2248

CALPIPE INDUSTRIES, INC.
19440 S. Dominguez Hills Dr.
Rancho Dominguez, CA 90220
(800) Calpipe
(562) 803-4388
calpipe.com

CALBRITE OFFICES &
DISTRIBUTION CENTER
6451 Northwinds Pkwy
Hobart, IN 46342
(219) 844-6800
(800) 536-2248
(219) 844-6884 fax
calbrite.com

CALBRITE
SERVICE CENTER
301 Mears Blvd., Ste. A
Oldsmar, FL 34677
(219) 844-6800
(800) 536-2248
(219) 844-6884 fax

2016 CBCH-Rev A